


Table of Contents

Koordinaattien syöttönäyttö	2
Koordinaattien muoto	2
Koordinaattien syöttö	3
Koordinaattilähteet	3
Reittipistelaskuri	3
Main variable assignment	4
Main variable input	5
Sub variable assignment	6
Result prediction	7
Calculator notes	7
Using Plain Coordinate Format	7
Further information	9



This page is not fully translated, yet. Please help completing the translation.
(remove this paragraph once the translation is finished)

Koordinaattien syöttönäyttö



Koordinaattien syöttönäyttö avataan jos [reittipistettä](#) muokattaessa klikkaat koordinaattikenttää tai syötettäessä koordinaatteja [haku](#)- tai [Siirry](#)-valikoissa.

-nappi sulkee syöttönäytön tallentamatta muutoksia, tallentaa muutokset ja sulkee syöttönäytön.



Varmista että tallennat muutokset etenkin käytettäessä reittipistelaskuria, sillä voi olla ettei oikeat koordinaatit ole näkyvillä, mutta haluat kuitenkin tallentaa laskuriin tekemäsi muutokset.

Koordinaattien muoto

DDD°MM.MMM'

Tätä kenttää klikkaamalla voit valita eri [tuettujen koordinaattimuotojen](#) välillä tai valita Yksinkertainen syöttääksesi haluamasi muodon. Koordinaattien syöttökentät muuttavat muotoaan tämän valinnan mukaisesti.

Jos olet jo syöttänyt koordinaatit, ne muunnetaan valittuun muotoon.

Koordinaattien syöttö



Käytä näitä kenttiä koordinaattien syöttämiseen. N/W-nappeja klikkaamalla voit vaihtaa niitä S/E-muotoon tarvittaessa.


Kenttien asettelu ja muoto riippuu yllä valitsemastasi koordinaattien muodosta.

Koordinaattilähteet

Koordinaattien syöttökentän alapuolella löydät useita nappeja koordinaattien hakemiseen eri lähteistä. Kaikki tai osa napeista voi olla näkyvillä riippuen missä kohdassa ohjelmaa käytät koordinaattien syöttönäyttöä, sekä muista olosuhteista.



Nappi	Selite
Sijaintini	Asettaa tämänhetkisen sijaintisi koordinaatit koordinaattikenttään.
Kätkön koordinaatit	Asettaa kätköön listatut koordinaatit koordinaattikenttään.
Laske koordinaatit	Käyttää (valinnaisesti) ylös jo asetettuja koordinaatteja ja avaa reittipistelaskurin.
Leikepöydältä	Tämä nappi näytetään vain jos leikepöytä sisältää käyttökelpoiset koordinaatit ja asettaa ne koordinaattikenttään.
Poista koordinaatit	Tyhjentää koordinaattikentät.

Reittipistelaskuri



c:geo tarjoaa reittipistelaskurin, joka laskee annettujen muuttujien sekä yhtälöjen mukaisesti tulosten mukaiset koordinaatit.

Tämä näyttö näytetään kun klikkaat [koordinaattien syöttönäytössä](#) Laske koordinaatit-nappia.

-nappi sulkee näytön tallentamatta muutoksia, -nappi tallentaa muutokset, sulkee näytön ja palaa reittipisteen muokkaukseen.




Voit käyttää laskinta myös kenttäreissun valmistamiseen määrittämällä tarvittavat muuttujat ja yhtälöt, ja jättää arvojen asettamisen muuttujille myöhemmäksi. Tämä ei tietenkään tarjoa oikeaa tulosta, mutta voit kuitenkin tallentaa milloin vain tämän hetkisen tilan tallentamalla muutokset laskimessa ja sen jälkeen tallentamalla reittipisteen tilan.

Ensimmäisen kentän klikkaus avaa valikon, josta voit tarvittaessa muuttaa eri [koordinaattimuotojen](#) välillä. Kaikki muut toiminnot esitellään alla.

Laskurin käytön ymmärtämisen helpottamiseksi käytämme esimerkkiä laskurin käyttöön.

Main variable assignment




Oletuksena tämä kenttä näyttää kätkön koordinaatit aloituspisteenä muuttujien asetusta varten.

Lyhyellä klikkauksella voit jokaisen numeron kohdalla valita haluamasi toiminnon kyseiselle numerolle:


- **Muuttujan asetus tälle numerolle**
Asettaa seuraavan käyttämättömän muuttujan (A-Z) tälle numerolle.
- **Numeron ohittaminen**
Poistaa tämän numeron kokonaan laskuista. Tämä sallii ratkaisut, joissa on muuttujia, joissa voi olla enemmän kuin yksi numero.
- **Numeronpalautus alkuperäiseksi**
Näyttää jälleen alkuperäisen arvon.

Voit lisäksi painaa pitkään numeron kohdalla syöttääksesi manuaalisesti numeron tai muuttujan.


Tulos voi näyttää esimerkiksi seuraavalta:



Main variable input

 For the main variables you always have to use CAPITAL letters (A-Z), whereas for the sub variables (described further down) you always have to use lower case letters (a-z)!

The section below the coordinate field will show fields for all the main variables you assigned in the coordinate field. In our example it will look like this as we assigned four main variables (A,B,C,D):



You can now use these fields to assign a formula using sub variables (lower case a-z) to calculate the result for

the main variables.

The following operators are supported in these formulas:

Operator	Function	Example
+	Addition	$a+b$
-	Subtraction	$a-b$
*	Multiplication	$a*b$
/	Division	a/b
^	Potentiate	a^b
%	Modulo	$a\%10$
()	Parenthesis	$(a+b)*c$

In our example, we use the following formulas for the main variables (as e.g. provided by the cache owner in the cache description) to continue:

$$A = a+b-4 \quad C = (a+b)/3$$

$$B = a^c \quad D = b\%2$$

Sub variable assignment



For the sub variables you always have to use lower case letters (a-z), whereas for the main variables (described further above) you always have to use CAPITAL letters (A-Z)!

After assigning formulas to the main variables, an input field will be added automatically for each sub variable (lower case a-z) used in these formulas.


These input fields can now be used to enter numeric values, which will then be used for automatic calculation of the result coordinates using the formulas provided. You can close and save the calculator state at any time now and return to the calculator to enter the next sub variable value as soon as you found it while doing your cache.



Depending on the amount of main and sub variables you have to swipe the variable section to reach all input fields.

You might also rotate your device into landscape mode to have all variables visible on your display.

In our example we did now find the values for a,b and c and entered them accordingly:




Result prediction

While you enter the formulas for the main variables and the values for the sub variables the result will be shown - on the fly in the result section.

Digits not yet valid will be replaced by * and greyed out. Once the result produces valid coordinates the result field will be shown with all white characters.

In our example a valid result is shown:



Calculator notes

The last section in the calculator can be used to enter or paste notes, which can be helpful to e.g. copy parts of the cache description containing the calculations required to find the cache.


The content of the calculator note will be synchronized to the note of the waypoint used to calculate.

Using Plain Coordinate Format

Entering coordinates or coordinate formulas in *Plain* mode works completely different compared to the fixed formats. Instead of having a clickable field for each digit there are two free text fields to enter the latitude and longitude part of a coordinate.

A single digit or a group of digits can be replaced by a formula surrounded with parenthesis. The variables used in the formulas must consist of single CAPITAL letters.


Often cache listings provide their waypoint coordinates already in this expected format. Therefore the plain mode is best suited when coordinates should be taken over "as is" from the listings.



The Plain mode works best with coordinates in [MinDeg format](#) $DDD^\circ\ MM.MMM'$.


To enter the Plain mode change the "Coordinate format" to Plain.

Taking the example in the screenshot above, copy the latitude (N/S) part of the coordinate into the first input field and the longitude part (E/W) into the second. If the coordinate contains formulas with variables the corresponding variable input fields appear below.




The formulas from the screenshot produce input fields for I, K, L, M and N. You can fill the variable fields with values in the same way as with the fixed formats described in the previous sections.

As soon as the input for all variable fields is complete the result prediction usually turns into white and shows the calculated coordinate.



In some cases the result field still stays gray because the coordinate parser could not interpret the initial coordinate input correctly. In the screenshot below there is a misplaced SPACE character between two digits of the same group which confuses the coordinate parser.



Typical problems with coordinates copied from listings are:

- Lower case variable names; variables must consist of capital letters
- Space between digits within a group $N45^\circ 5.(K) (I/N)(K+L+M+N)$
- Space before the degree sign $N45^\circ 5.(K) (I/N)(K+L+M+N)$
- Space before the decimal point $N45^\circ 5.(K) (I/N)(K+L+M+N)$
- Space after the decimal point $N45^\circ 5.(K) (I/N)(K+L+M+N)$
- Wrong minus sign: There are many [different dash signs](#) - only the standard hyphen/minus sign (-) is accepted
- Wrong multiplication sign: sometimes an x or an interpunct (·) is taken as multiplier sign instead of an asterisk (*)
- Wrong division sign: sometimes a colon (:) is taken as division sign instead of a slash (/)
- Nested square brackets: $N45^\circ 5. [[X+Y]*10]$



As with the other formats above the state of calculator can be saved at any time.

Further information



[youtube_en2y5mvjul4](#)



Video



Video



Video